## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

## ppln No.: 09/855,266 pplicant(s): Naoki Kimura et al. NOVEL SECRETORY MEMBRANE PROTEIN

1	AG	CTC	ACA	GC	;																	
12	AT	GGT	TAC	CTI	CAG	3CC	ACC	STO	TC	CAG	TCT	GAG	TCA	CTG	TTC	CTC	TTE	CTG	CTG	CTO	CTG	
İ	M	٧	1	• 6	: 9	3	H	٧	<u>s</u>	<u>s</u>	L	<u>s</u>	Н	W	F	L	L	L	L	Ĺ	<u>L</u> .	
72	AA'	rct	GTT	CTI	GCC	:G6	TA	ATA	TT	rgc:	TAT	GCC.	TGA	ATC/	\TAC	CTCC	TTC	AAC	TGT	CCC	GAT	
21	N	Ŀ	F	1	<u>. F</u>	. 1	٧	I	<u>_</u> F	A	M	P	E	S	Y	S	F	N	C	P	D	
132	GG	[GA	ATA	CCA	GTC	TA	ATG	TAE	GT(	CTG	ITG	CAAI	GAC	CTGT	CCC	TCA	GGT	ACA	TTT	GTO	CAAG	
41	G	E	Y	. (	) S	<b>i</b> 1	N	D	Y	C	C	K	7	C	P	S	G	T	F	V	K,	
192	GC	CC(	CTG	CAA	TAAI	CC	CCC	TAS	ACT	CA	NGG/	ACA	ATG	<b>TGAG</b>	AAG	TGT	CAC	CCA	GGA	ACA	TTC	
61	A	P	C	K	I	. 1	P	H	T	Q	G	Q	C	E	K	C	H	P	G	T	F	
252	AC/	\G <del>G</del> (	BAA	AGA	AATA	TG	GCC	TG	CAT	GAT	TG	<b>TGA</b>	ACT	TGC	TCC	ACC	TGT	GAT	٨٨٨	GAC	CAG	
81	T	G	Ķ	D	N	1 6	3	L	H	D	C	Ε	L	C	S	T	C	D	K	D	Q	
312	AAT	AT	GGT	GGC	TGA	CTE	ITE	CT	GCC	CACC	CAGT	rga(	CCGC	AAA	TGC	GAG	TGC	CAA	ATA	GGT	CTT	
101	N	M	Y	A	D	(	:	S	¥.	T	S	D	R	K	C	Ε	C	Q	I	G	L	
372	TAC	AT	ATS	-														TGT	CCC	CAA	GGA	
121	Y	Y	Y	D	P	į	(	F	P	Ē	S	C	R	P	C	Ţ	K	C	P	Q	G	
432																						
141																•				<u> v</u>	<u>_S</u>	
492			•																			
161		•																				
543													_									
601													•									
661																						
721																		•				
781																						
841					-		_				-											
901																						
961		,																	~			•
021										•												
081	_																					•
141							_				_											•
201																						
261																						•
321																					•	•
381	CTT	TCT	CTO	TGC	CTC	rgg.	ACT	TC#	TC	CAG	ATG	TCT	CTG	GCT	GAG	CTC	TCC	CTC	CTA	TCT.	ACA	İ
441	ATA	AAA	CCT	TCC	CCC	CTA	AC(	CAG	AA	ATG	GAA	CAG	ш	TGT	CCT	CAC	m	GTA	CAT	CTG	GTG	•
501	CCT	GAA	ACC	•																		1

	FIG. 2												
mTNFR	<u>TQNTV</u> C				126								
7F4	<u>TANTV</u> C				126								
mTNFR	TCRKEMSQVEISPCQ	<u>A</u> DK <u>D</u> TVGGCKENQFQ	RYLSETHFQGVDG	SPCFNGTVTIP-CKE	120								
	TCDKDQNMVADCS			_									
mTNFR	CPGGKYVHSKNMSIC	CTKCHKGTYLVSDCP	S <u>P</u> GRDTVCRECEK <u>GT</u>	FTASQNYLRQCLSCK	60								
7F4		CKTCPSGTFVKAPCK			_								

No.: 09/855,266 F '9 3 of 9

Ap, ant(s): Naoki Kimura et al.
NOVEL SECRETORY MEMBRANE PROTEIN





FIG. 3

peripheral blood leukocyte colon small intestine ovary testis prostate gland thymus'. spleen pancreas kidney skeletal muscle liver lung placenta brain heart

FIG. 4

Appln N 3/855,266 Applicant(s): Naoki Kimura et al. NOVEL SECRETORY MEMBRANE PROTEIN








FIG. 5B


Appln No.: 55,266
Applicant(s): Naoki Kimura et al.
NOVEL SECRETORY MEMBRANE PROTEIN



Applr. .: 09/855,266

Applicant(s): Naoki Kimura et al. NOVEL SECRETORY MEMBRANE PROTEIN





Appln Nc //855,266 Applicant(s): Naoki Kimura et al. NOVEL SECRETORY MEMBRANE PROTEIN

FLUORESCENCE INTENSITY FLUORESCENCE INTENSITY FLUORESCENCE INTENSITY CLONE #5 CLONE #3 CLONE #4 CELL CELL NUMBER CELL NUMBER FLUORESCENCE INTENSITY FLUORESCENCE INTENSITY CLONE #9 CHO CELL NUMBER CELL NUMBER

